

GUIDELINE FOR FERTIGATION  
**AVOCADOS**

PRODUCT		Spring Flush	Cauliflower	Blossom	Post-Flowering	Fruit Development	Root and Vegetative Flush	Autumn Flush
<b>Fertigate Y</b>	13-17-11 + TE						5-7kg/ha	
<b>Fertigate O</b>	7-6-29 + TE				8-11kg/ha			
<b>Fertigate W</b>	15-5-25 +1.8Mg +TE						8-11kg/ha	
<b>Super Boron</b>	12B-0.4Mo-12N	1-2kg/ha					1-2kg/ha	
<b>Trace-it Total</b>	Multi complex trace element		1kg/ha				1kg/ha	
<b>Alga 600*</b>	Plant stimulant		1kg/ha				1kg/ha	

**TIMING:**

Apply in the second half of irrigation cycle; ensure fertigation mix is completed with at least 5% of cycle remaining to flush lines, Calcium Nitrate should be applied alternative weeks to an NPK Fertiliser .

**APPLICATION:**

**Stock Solution:** Dissolve 1kg of Fertigate in 10L water, or 25kg in 250L of water with approximate water temperature of 15°C, dilute at a rate of 1:100. Weekly applications are better than large one off doses that often are wasteful and reduce your control.

**NOTES:**

- ▶ \*Use Alga 600 in conjunction with your NPK fertilisers.
- ▶ pH is not a concern with Grochem formulations as they are balanced and will not acidify your soil.
- ▶ Fertigation is not a complete replacement for solid fertilisers. Application rates and product selection will vary with crop, soil type, location and growers goals.
- ▶ Products highlighted in green should be used at key crop stages as part of a full fertigation programme.
- ▶ Foliar applications of Trace-It Boron and Trace-It Zinc Chelate should be used over flower development from the Cauliflower stage.



MORE INFORMATION ON THESE AND OTHER GROCHEM PRODUCTS CAN BE FOUND AT [WWW.GROCHEM.CO.NZ](http://WWW.GROCHEM.CO.NZ)

**DISCLAIMER:** The cultural information & recommendations contained in this document is drawn from publicly available information sourced by Grochem (AgriNova New Zealand Limited) and from information that is provided to Grochem directly by relevant suppliers. This information is provided by Grochem in good faith to assist the customer. It is not a substitute for expert advice which the customer may wish to obtain before application. In the absence of that separate advice the customer should carry out a very small trial initially for off-label recommendations. Accordingly, Grochem and its representatives disclaim, and the customer releases Grochem from any liability arising out of all reliance on the information or recommendations contained in this document.